

*Part 12***GOLF PUTTING ALIGNMENT SYSTEM****TECHNICAL FIELD**

The invention relates to the game of golf and more importantly to a golf putter having an alignment arrangement based on the position of the shaft over a center line mark on the putter head.

**BACKGROUND**

Putting plays an important role in a successful round of golf. In order to technically execute a proper putt a golfer must be properly positioned relative to the ball and to an intended line of the putt. A putter has a striking face, which should be aligned square to the desired path of the ball travel.

It is known that an alignment center line is placed on the top surface of the putter to aid a golfer in positioning the face of a putter square to the target line of the putt. Typically, this center line or aiming line is perpendicular to the face and is positioned at the desired area of putter to ball impact.

In addition to having the putter face aligned to the intended target line a golfer must be in the proper position relative to the ball to have proper golf techniques. The eyes of the golfer should be over the ball so that when the ball is struck the putter is returned to the proper position to send the ball on its desired target line.

It takes regular practice to develop a putting stance and stroke to propel a golf ball on its intended target line. Golfers of all skill levels have been shown to find this eye position and putter alignment difficult to maintain over time.

5

An object of the invention is to provide a putter that can be used to indicate when proper alignments have been attained for stroking a golf ball.

10 A putter that uses a shaft to facilitate alignment of a putter head and a golfer's head relative to a ball and a desired path of ball travel is shown, for example, in the following United States of America patent 5,564,990 - Weeks.

15 Though such a putter has achieved popularity and commercial success, there has been a continuing need for improvement.

#### SUMMARY OF THE INVENTION

In accordance with the invention there is provided a golf putter  
20 having a putter head and an elongated putter shaft. The putter head has a striking face, a sole, a center line marker marking a center of gravity of said putter head, a toe normally positioned remote from a user when in play and a heel opposite said toe. The an elongated putter shaft has a grip on one end and, at an  
25 opposite end, attached to the putter head between the center line marker and the toe, the putter shaft having a transverse marking which lines up vertically with the center line marker on the

putter head when a user is holding the putter in a putting position with the golfer's eyes over the center line marker of the putter head.

- 5 Preferably, the center line marker is perpendicular to the striking face and is vertically aligned with the center of gravity of the putter head.

- 10 Advantageously, the putter shaft extends across the putter head from proximate the toe towards the heel at an acute angle with the sole of the putter head, crossing the center line of the putter head.

- 15 The transverse marking on the shaft marks the center of gravity of the shaft when the putter is in the putting position.

The putter shaft may extend up from putter head, when said putter is in the putting position and then angle towards the golfer.

- 20 In another aspect of the invention there is provided a method of aligning a putter and a golfer's eyes to a golf ball and a desired line of travel, which includes providing a putter which has a shaft attached proximate a toe of a putter head and at least a portion of which shaft angles back towards a golfer when  
25 the golfer and the shaft are in the putting position. The method further includes placing a center line marker over a center of gravity of the putter head, and placing a marker on an upper side

of the shaft of the putter which vertically aligns with the center line marker when the putter is in the putting position; and holding the putter in the putting position and then aligning a golfer's eyes with the aligned mark on the shaft and the center  
5 line mark on the putter head such that the putter head is perpendicular to the desired direction of travel of the golf ball.

#### **BRIEF DESCRIPTION WITH REFERENCE TO THE DRAWINGS**

- 10 Further features and advantages will be apparent from the following detailed description, given by way of example, of a preferred embodiment taken in conjunction with the accompanying drawings, wherein:
- 15 Fig. 1 is a elevation view showing the putter head and a portion of the putter shaft;
- Fig. 2 is a top view of the putter head and a portion of the putter shaft showing the shaft mark and the center line mark on the putter head; and
- 20 Fig. 3 is an elevation view showing a golfer with his eyes aligned with the center line mark on the putter head and the mark on the shaft.

#### **DETAILED DESCRIPTION WITH REFERENCE TO THE DRAWINGS**

- 25 Referring to Figs. 1 and 2, a putter shaft 1 is attached to a putter head 6 proximate a toe 4 of the putter head 6. The putter head also has a heel 5, a sole 8 and a center line mark 3 which

corresponds with a center of gravity of the putter head 6. A mark 2 on the upper side of the shaft 1 is placed so that with the putter in a putting position, the mark 2 is aligned with the center line mark 3 on the top of the putter head 6. The mark on the top of the putter head is perpendicular to a strike face 7 of the putter head 6. The shaft extends from its point of attachment proximate the toe 4 across the center line mark 3 towards a golfer when in the putting position. With the mark on the top of the shaft corresponding to the center of gravity of the shaft when in the putting position, alignment of the mark on the shaft with that on the putter head places the center of gravity along the line through the two marks 2 and 3.

Referring to Fig. 3, a golfer 8 is positioned over a putter 10, with the golfer's eyes over the marks on the shaft and the head 6. Complete alignment is achieved once the strike face 7 is placed perpendicular to the desired direction of travel of a golf ball.

Accordingly, while this invention has been described with reference to illustrative embodiments, this description is not intended to be construed in a limiting sense. Various modifications of the illustrative embodiments, as well as other embodiments of the invention, will be apparent to persons skilled in the art upon reference to this description. It is therefore contemplated that the appended claims will cover any such

modifications or embodiments as fall within the true scope of the invention.